



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

A

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/939,136	08/24/2001	Scott T. Brown	CSP-1	2977
21833	7590	12/02/2005		
PRITZKAU PATENT GROUP, LLC 993 GAPTER ROAD BOULDER, CO 80303				
			EXAMINER JEAN GILLES, JUDE	
			ART UNIT 2143	PAPER NUMBER

DATE MAILED: 12/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/939,136

Applicant(s)

BROWN ET AL.

Examiner

Jude J. Jean-Gilles

Art Unit

2143

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 July 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30, 32-40 and 43-76 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-30, 32-40 and 43-76 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 August 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>02/15/2002</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This Action is in regards to the Reply received on 07/01/2005.

Response to Amendment

1. This action is responsive to the application filed on 08/24/2001. Claims 1-29, 32-39, 43-62, 64, 66, 68, 70, and 72-74 have been amended. Claims 31, and 41-42 are cancelled. Claims 75 and 76 are newly added. Claims 1-30, 32-40, and 43-76 are pending. Claims 1-30, 32-40, and 43-76 represent a method and apparatus for "an email messaging System and Method for enhanced rich text delivery."

Response to Arguments

2. Applicant's arguments with respect to claims 1-30, 32-40, and 43-76 have been carefully considered, are deemed fully persuasive in light of the prior Art of record. However Applicant's arguments are deemed moot in view of the following new ground of rejection as explained here below.

Information Disclosure Statement

3. The references listed on the Information Disclosure Statement submitted on 02/15/2002 have been considered by the examiner (see attached PTO-1449A).

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

5. **Claim 1-13, 25-30, 32-40, and 73-75** are rejected under 35 U.S.C. 102(e) as being unpatentable by Mintz, U.S. Patent No. 6,250,930 B1.

Regarding claim 1, Mintz discloses in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (fig. 1 items 110, 120, and 125), a method comprising :

after said e-mail message has been originated by an originating user of the first user group, directing the e-mail message onto an e-mail enhancement path (column 4, lines 44-58);

adding additional rich media rich media content to said e-mail message using the e-mail enhancement path to produce an enhanced e-mail message; and thereafter, directing

the enhanced e-mail message from the e-mail enhancement path to the intended recipient (column 4, lines 44-58; column 5, lines 25-67).

Regarding claim 2, Mintz discloses the method of claim 1 wherein said of directing the e-mail message onto the e-mail enhancement path includes receiving the e-mail message at said first server (column 6, lines 42-64).

Regarding claim 3, Mintz discloses the method of claim 2 wherein said receiving includes using TCP/IP socket communication (column 6, lines 42-64).

Regarding claim 4, Mintz discloses the method of claim 2 wherein said receiving step includes using direct API access (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 5, Mintz discloses the method of claim 2 wherein said directing the e-mail message to the e-mail enhancement path further includes the steps of altering the e-mail message, and directing the altered e-mail message to a second server located on the e-mail enhancement path (column 4, lines 44-58; column 5, lines 25-67).

Regarding claim 6, Mintz discloses the method of claim 5 wherein said e-mail message includes a header section, which contains information regarding the originating user and the intended recipient, and wherein said altering the e-mail message includes separating and modifying the header section in a predetermined way (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 7, Mintz discloses the method of claim 6 wherein said separating and modifying the header section includes parsing and temporarily storing the originating user and intended recipient information contained in the header section

Art Unit: 2143

in a designated file separate from the e-mail message (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 8, Mintz discloses the method of claim 6 wherein said modifying the header section in said predetermined way includes the steps of inactivating said information regarding the originating user and intended recipient contained in the header section, and adding an alternate header section containing active information regarding an alternate sender and an alternate message recipient (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 9, Mintz discloses the method of claim 7 wherein said inactivating step includes adding a predetermined prefix to the originating user and intended recipient information contained in the header section such that said information is inactivated (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 10, Mintz discloses the method of claim 7 wherein said adding the alternate header section includes specifying said second server as the alternate message recipient (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 11, Mintz discloses the method of claim 7 wherein said directing the enhanced message to the intended recipient includes the steps of deleting the alternate header section, and reactivating the originating user and intended recipient information contained in the header section of the e-mail message (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 12, Mintz discloses the method of claim 5 wherein said directing the altered e-mail message to the second server includes using TCP/IP socket communication (column 6, lines 42-64).

Regarding claim 13, Mintz discloses the method of claim 1 wherein said directing the e-mail message onto the e-mail enhancement path includes adding a request for additional rich media content to the e-mail message (column 6, lines 42-64).

Regarding claim 25, Mintz discloses the method of claim 1 wherein said messaging system further defines an in-coming e-mail message path to each user of the first user group from the first server at least for receiving an external e-mail message originating outside the first user group and directed to one or more of the users of the first user group and wherein said directing the e-mail message onto the enhancement path includes routing the e-mail message to an out-going message path, which includes the enhancement path, and which includes at least one different process as compared to the incoming e-mail message path (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 26, Mintz discloses the method of claim 25 wherein said routing the e-mail message to an out-going message path includes directing the e-mail message through a second server, which second server is outside of the in-coming e-mail message path (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 27, Mintz discloses the method of claim 1 wherein said adding additional rich media content to the e-mail message includes creating one or more rich

media templates to serve as said additional rich media content (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 28, Mintz discloses the method of claim 27 wherein said creating one or more templates includes implementing a set of computer code compatible with the Internet, said set of computer code including instructions for displaying specified rich media rich media content (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 29, Mintz discloses the method of claim 28 wherein said creating one or more rich media templates further includes adding an insertion tag for identifying a point in said rich media template at which point at least a portion of said e-mail message is to be inserted into the rich media template (column 6, lines 42-64; column 7, lines 1-32).

Regarding claim 30, Mintz discloses the method of claim 28 wherein said set of computer code is in HTML (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64;). Also those of ordinary skill in the art know how to implement the disclosure of Mintz with HTML computer code.

Regarding claim 31, claim 31 has been cancelled.

Regarding claim 32, Mintz discloses in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an out-bound e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a

remote user interfaced to the Internet by a connection other than said first server, a messaging configuration comprising: means for adding additional rich media content to said out-bound e-mail message; means for routing said out-bound e-mail message to said means for adding additional rich media content, after said out-bound e-mail message has been originated by an originating user of the first user group, to add the additional rich media content thereby producing an enhanced e-mail message; and means for directing the enhanced e-mail message to the intended recipient (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Regarding claim 33, Mintz discloses the messaging configuration of claim 32 further comprising means for receiving an in-bound e-mail message intended for transfer to any user of the first user group (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Regarding claim 34, Mintz discloses the messaging configuration of claim 33 wherein said receiving means includes means for routing the in-bound e-mail message to one of a plurality of processing stations (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Regarding claim 35, Mintz discloses in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, a messaging

Art Unit: 2143

configuration comprising: a first arrangement for adding additional rich media content to said e-mail message; a second arrangement for receiving the e-mail message, after said e-mail message has been originated by an originating user of the first user group, and for routing the e-mail message to the first arrangement to add the additional rich media content to produce an enhanced e-mail message; and a third arrangement for directing the enhanced e-mail message from the e-mail enhancement path to the intended recipient (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Regarding claim 36, Mintz discloses the in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, a messaging configuration comprising: a first auxiliary server for directing the e-mail message to a first location, after said e-mail message has been placed en route to the intended recipient; and at the first location, a second auxiliary server for adding additional rich media content to said e-mail message to produce an enhanced e-mail message and, thereafter, for directing the enhanced e-mail message to the intended recipient (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Regarding claim 37, Mintz discloses the messaging configuration of claim 36 wherein said first auxiliary server is configured for receiving an in-bound e-mail

Art Unit: 2143

message intended for transfer to any user of the first user group (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Regarding claim 38, Mintz discloses the messaging configuration of claim 37 wherein said first auxiliary server includes means for routing the in-bound e-mail message to one of a plurality of processing stations (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Regarding claim 37, Mintz discloses in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said system further defining an in-coming e-mail message path to each user of the first user group from the first server at least for receiving an external e-mail message originating outside the first user group and directed to one or more of the users of the first user group, an e-mail message enhancement configuration comprising: an out-going e-mail message path configured for enhancing an out-going e-mail message originated by any user in said first user group, said out-going e-mail message path being defined at least in part between the first server and each user of the first user group, and including at least one different node as compared to the incoming e-mail message path said outgoing e-mail message path including an e-mail enhancement path for receiving said e-mail message after said email message has been originated by an originating user of the first user

group and for adding additional rich media rich media content to the e-mail message thereby producing an enhanced e-mail message (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64;).

Regarding claim 40, Mintz discloses the e-mail message enhancement configuration of claim 39 wherein said out-going e-mail message path includes a second server located at said different node (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Regarding claim 41, claim 41 has been cancelled.

Regarding claim 42, claim 42 has been cancelled.

Regarding claim 73, Mintz discloses in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, an enhancement server comprising: means for receiving the e-mail message, after the e-mail message has been placed en route to the intended recipient; means for adding additional rich media content to said e-mail message to produce an enhanced e-mail message; and thereafter, means for rerouting the enhanced e-mail message to the intended recipient (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Regarding claim 74, Mintz discloses a computer program arrangement in a computer readable medium for use in a multi-user e-mail messaging system interfaced

Art Unit: 2143

through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said computer program arrangement comprising: first instructions for receiving the e-mail message, after the e-mail message has been originated by an originating user of the first user group; second instructions for adding additional rich media content to said e-mail message to produce an enhanced e-mail message; and third instructions for rerouting the enhanced e-mail message to the intended recipient (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Regarding claim 75, Mintz discloses the method of claim 1 wherein said e-mail message includes a body, which contains a portion of the e-Mail message viewable by the originating user, and wherein said adding additional rich media content includes adding additional rich media content to the body of said e-mail message (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Regarding claim 76, Mintz discloses the messaging configuration of claim 32 wherein said out-bound e-mail message includes a body, and wherein said means for adding additional rich media content includes means for adding said additional rich media content to the body of said message (column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64).

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. **Claims 14-24, and 43-72** are rejected under 35 U.S.C. 103(a) as being unpatentable over Mintz in view of Bereiter, U.S. Patent No 6,185,606 B1, in further view of Elliott et al (Elliott), U.S. Patent 5,867,495.

Regarding claim 14, Mintz discloses teaches the invention substantially as claimed. Mintz discloses the method of claim 13 but does not specifically disclose a method wherein said adding said request for additional rich media content to said e-mail message includes providing a validation of the request for additional rich media content such that said additional rich media content is added to said e-mail message responsive to said validation.

In the same field of endeavor, Bereiter discloses a method in which "...an automatic e-mail agent that receives incoming e-mail and triggers the activation of the attachment without human involvement. The e-mail agent would thus run as a background task and await input from either the point-to-point network connection of the e-mail subsystem. When an input was received, the agent would then validate and process the message for display ... [see Bereiter, column 5, lines 22-329].

Accordingly, it would have been obvious to one of ordinary skill in the networking art at the time the invention was made to have incorporated Bereiter's teachings of a method an validation of a request for additional rich media content, with the enhanced e-mail within an enhancement path teachings of Mintz, for the purpose of *"to allow such multimedia-enhanced e-mail to be directly routed to a desired set of recipients without requiring such recipients to have an active connection to the Internet..."* as stated by Mintz lines 25-30 of column 2. By this rationale **claim 14** is rejected.

Regarding claim 15, the combination Mintz- Bereiter discloses the method of claim 14 wherein said adding the request for additional rich media content further includes inserting one or more reference tags into said e-mail message (see Bereiter, *column 3, lines 50-61*).

Regarding claim 16, the combination Mintz- Bereiter discloses the method of claim 15 wherein said providing the validation of the request for additional rich media content includes the steps of assigning a desired set of rules for said validation, and generating the validation according to the desired set of rules(see Bereiter, *column 3, lines 50-61*).

Regarding claim 17, The combination Mintz- Bereiter discloses the method of claim 15 wherein said inserting one or more reference tags into said e-mail message includes adding a message ID tag for identifying the e-mail message, which message ID tag is unique to said e-mail message(see Bereiter, *column 3, lines 50-61*).

Regarding claim 18, The combination Mintz- Bereiter discloses the method of claim 15 wherein said inserting one or more reference tags into said e-mail message

includes adding a group ID tag for identifying the e-mail message as being sent by said first user group(see Bereiter, *column 3, lines 50-61*).

Regarding claim 19, The combination Mintz- Bereiter discloses the method of claim 15 wherein said inserting one or more reference tags into said e-mail message includes adding a template ID tag for identifying the additional rich media rich media content to be added to the e-mail message(see Bereiter, *column 3, lines 50-61*).

Regarding claim 20, The combination Mintz- Bereiter discloses the method of claim 19 wherein said adding the template ID tag is performed responsive to a specified action taken by the originating user(see Bereiter, *column 3, lines 50-61*).

Regarding claim 21, The combination Mintz- Bereiter discloses the method of claim 19 wherein said first user group is subject to control at an administrative level, and wherein said adding the template ID tag is performed responsive to an administrative selection rather than responsive to action taken by the originating user(see Bereiter, *column 3, lines 50-61*).

Regarding claim 22, The combination Mintz- Bereiter discloses the method of claim 15 further comprising recording said reference tags in a database(see Bereiter, *column 3, lines 50-61*).

Regarding claim 23, The combination Mintz- Bereiter discloses the method of claim 15 wherein said e-mail message includes a header section, which contains information regarding the originating user and the intended recipient, and wherein said inserting one or more reference tags into said e-mail message includes adding one or

Art Unit: 2143

more of said reference tags to the header section of the e-mail message(see Bereiter, *column 3, lines 50-61*).

Regarding claim 24, The combination Mintz- Bereiter discloses the method of claim 15 wherein said e-mail message includes a header section, which contains information regarding the originating user and the intended recipient, and wherein said inserting one or more reference tags into said e-mail message includes adding one or more of said reference tags to the e-mail message outside of the header section. (see Bereiter, *column 3, lines 50-61*).

Regarding claim 43, The combination Mintz- Bereiter discloses in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a method comprising the steps of:

after said email message has been originated by an originating user of the first user group, adding a request for desired additional rich media content to the e-mail message and placing the e-mail message en route to the intended recipient (see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

directing the e-mail message to a first location inside the firewall;

at the first location, identifying the request for desired additional rich media rich media content in the e-mail message and providing a validation of the request for desired additional rich media rich media content (see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

forwarding the e-mail message to a second location outside the firewall; at the second location, adding the desired additional rich media rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 44, The combination Mintz- Bereiter discloses in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a method comprising the steps of: after said e-mail message has been originated by an originating user of the first user group, directing the e-mail message to a first location inside the firewall; at the first location, adding a request for desired additional rich media rich media content to the e-mail message and providing a validation of the request for desired additional rich media rich media content; forwarding

Art Unit: 2143

the e-mail message to a second location outside the firewall; at the second location, adding the desired additional rich media rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 45, The combination Mintz- Bereiter discloses in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a method comprising the steps of: adding a request for desired additional rich media rich media content to the e-mail message and placing the e-mail message en route to the intended recipient, directing the e-mail message to a first location inside the firewall; at the first location, identifying the request for desired additional rich media rich media content in the e-mail message and providing a validation of the request for desired additional rich media rich media content according to a predetermined set of rules; forwarding the e-mail message to a second location outside the firewall; at the second location, adding the desired additional rich media rich media content to said e-mail message responsive to said validation to produce an

enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 46, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a method comprising the steps of: placing said e-mail message en route to the intended recipient, directing the e-mail message to a first location inside the firewall; at the first location, adding a request for desired additional rich media rich media content to the e-mail message and providing a validation of the request for desired additional rich media rich media content according to a predetermined set of rules; forwarding the e-mail message to a second location outside the firewall; at the second location, adding the desired additional rich media rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 47, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a method comprising the steps of: adding a request for desired additional rich media rich media content to the e-mail message and placing the e-mail message en route to the intended recipient, directing the e-mail message to a first location inside the firewall; at the first location, identifying the request for desired additional rich media rich media content in the e-mail message and providing a validation of the request for desired additional rich media rich media content; forwarding the e-mail message, after said providing the validation, to a second location inside the firewall; at the second location, selectively adding the desired additional rich media rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 48, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the

Art Unit: 2143

Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a method comprising the steps of: placing said e-mail message en route to the intended recipient; directing the e-mail message to a first location inside the firewall; at the first location, adding a request for desired additional rich media rich media content to the e-mail message and providing a validation of the request for desired additional rich media rich media content; forwarding the e-mail message, after said providing the validation, to a second location inside the firewall; at the second location, selectively adding the desired additional rich media rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 49, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user

Art Unit: 2143

inside the firewall; means for adding the desired additional rich media rich media content to the e-mail message responsive to the validation to produce an enhanced e-mail message, said receiving means being located outside the firewall; and means for redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 52, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: means for placing said e-mail message en route to the intended recipient, means for directing the e-mail message to a first location inside the firewall; means for receiving the e-mail message at the first location, for adding a request for desired additional rich media rich media content to the received e-mail message and for providing a validation of the request for desired additional rich media rich media content, said identifying means being located inside the firewall; means for adding the desired additional rich media rich media content to the e-mail message responsive to the validation to produce an enhanced e-mail message, said receiving means being located outside the firewall; and means for redirecting the

group and said first server, a method comprising the steps of: adding a request for desired additional rich media rich media content to the e-mail message and placing the e-mail message en route to the intended recipient, directing the e-mail message to a first location inside the firewall; at the first location, identifying the request for desired additional rich media rich media content in the e-mail message and providing a validation of the request for desired additional rich media rich media content according to a predetermined set of rules; forwarding the e-mail message to a second location inside the firewall; at the second location, selectively adding the desired additional rich media rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 50, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a method comprising the steps of: placing said e-mail message en route to the intended recipient, directing the e-mail message to a first location inside the firewall; at the first location, adding a request for desired additional

rich media rich media content to the e-mail message and providing a validation of the request for desired additional rich media rich media content according to a predetermined set of rules; forwarding the e-mail message to a second location inside the firewall; at the second location, selectively adding the desired additional rich media rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 51, The combination Mintz- Bereiter discloses In multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: means for adding a request for desired additional rich media rich media content to the e-mail message and placing the e-mail message en route to the intended recipient, means for directing the e-mail message to a first location inside the firewall; means for receiving the e-mail message at the first location, for identifying the request for desired additional rich media rich media content in the received e-mail message and for providing a validation of the request for desired additional rich media rich media content, said identifying means being located

Art Unit: 2143

enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 53, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: a first arrangement for adding a request for desired additional rich media rich media content to the e-mail message and for placing the e-mail message en route to the intended recipient; a second arrangement located within the firewall for selectively receiving the e-mail message within the firewall, for identifying the request for desired additional rich media rich media content in the received e-mail message and for providing a validation of the request for desired additional rich media rich media content; a third arrangement for selectively adding the desired additional rich media rich media content to the e-mail message responsive to said validation to produce an enhanced e-mail message including the desired additional rich media rich media content, said third arrangement being located outside the firewall and configured for redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 54, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: a first arrangement for placing the e-mail message en route to the intended recipient; a second arrangement located within the firewall for receiving the e-mail message, for adding a request for desired additional rich media content to the received e-mail message and for providing a validation of the request for desired additional rich media content; a third arrangement for selectively adding the desired additional rich media content to the e-mail message responsive to said validation to produce an enhanced e-mail message including the desired additional rich media content, said third arrangement being located outside the firewall and configured for redirecting the enhanced e-mail message to the intended recipient.

Regarding claim 55, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first

Art Unit: 2143

user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: a first enhancement configuration within the firewall, said first enhancement configuration being configured for adding a request for desired additional rich media content to the e-mail message, placing the e-mail message en route to the intended recipient, receiving the e-mail message within the firewall, identifying the request for desired additional rich media content in the received e-mail message, providing a validation of the request for desired additional rich media content, and directing the received e-mail message to a predetermined location outside the firewall; and a second enhancement configuration located at said predetermined location, said second enhancement configuration being configured for adding the desired additional rich media content to the forwarded e-mail message, responsive to the validation, to produce an enhanced e-mail message, and redirecting the enhanced e-mail message from the second enhancement server to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 56, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than

said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: a first enhancement configuration within the firewall, said first enhancement configuration being configured for placing the e-mail message en route to the intended recipient receiving the e-mail message within the firewall, adding a request for desired additional rich media content to the received e-mail message, providing a validation of the request for desired additional rich media content, and directing the received e-mail message to a predetermined location outside the firewall; and a second enhancement configuration located at said predetermined location, said second enhancement configuration being configured for adding the desired additional rich media content to the forwarded e-mail message, responsive to the validation, to produce an enhanced e-mail message, and redirecting the enhanced e-mail message from the second enhancement server to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 57, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: means for adding a request for

desired additional rich media content to the e-mail message and for placing the e-mail message en route to the intended recipient; means located within the firewall for receiving the e-mail message, for identifying the request for desired additional rich media content in the received e-mail message and for providing a validation of the request for desired additional rich media content; and means located within the firewall for adding the desired additional rich media content to the e-mail message responsive to said validation to produce an enhanced e-mail message and for redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 58, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: means for placing the e-mail message en route to the intended recipient; means located within the firewall for receiving the e-mail message, for adding a request for desired additional rich media content to the received e-mail message and for providing a validation of the request for desired additional rich media content; and means located within the firewall for adding the desired additional rich media content to the e-mail message responsive to said

Art Unit: 2143

validation to produce an enhanced e-mail message and for redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 59, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: a first arrangement for adding a request for desired additional rich media content to the e-mail message and for placing the e-mail message en route to the intended recipient; a second arrangement for selectively receiving the e-mail message within the firewall; a third arrangement for identifying the request for desired additional rich media content in the received e-mail message and for providing a validation of the request for desired additional rich media content; a fourth arrangement for adding the desired additional rich media content to the e-mail message responsive to said validation to produce an enhanced e-mail message including the desired additional rich media content; and a fifth arrangement for redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 60, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: a first arrangement for placing the e-mail message en route to the intended recipient; a second arrangement for selectively receiving the e-mail message within the firewall; a third arrangement for adding a request for desired additional rich media content to the received e-mail message and for providing a validation of the request for desired additional rich media content; a fourth arrangement for adding the desired additional rich media content to the e-mail message responsive to said validation to produce an enhanced e-mail message including the desired additional rich media content; and a fifth arrangement for redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 61, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for

Art Unit: 2143

transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: a first enhancement configuration within the firewall, said first enhancement configuration being configured for adding a request for desired additional rich media content to the e-mail message, placing the e-mail message en route to the intended recipient, receiving the e-mail message within the firewall, identifying the request for desired additional rich media content in the received e-mail message, providing a validation of the request for desired additional rich media content, and directing the received e-mail message to a predetermined location inside the firewall; and a second enhancement configuration located at said predetermined location, said second enhancement configuration being configured for adding the desired additional rich media content to the forwarded e-mail message, responsive to the validation, to produce an enhanced e-mail message, and redirecting the enhanced e-mail message from the second enhancement server to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 62, The combination Mintz- Bereiter discloses A computer program arrangement in a computer readable medium for use in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for

Art Unit: 2143

transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said computer program arrangement comprising: first instructions for directing the e-mail message to a predetermined location after said e-mail message has been originated by an originating user of the first user group; at the predetermined location, second instructions for adding additional rich media content to said e-mail message to produce an enhanced e-mail message; and third instructions for directing the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 63, The combination Mintz- Bereiter discloses The computer program arrangement of claim 62 wherein said first, second and third instructions are distributed at least among the first user group and the first server.

Regarding claim 64, The combination Mintz- Bereiter discloses A computer program arrangement in a computer readable medium for use in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, said computer program arrangement comprising: first

instructions for receiving the e-mail message within the firewall after said e-mail message has been originated by an originating user of the first user group, said e-mail message including a request for desired additional rich media content; second instructions for identifying the request for desired additional rich media content in the received e-mail message; third instructions for providing a validation of the request for desired additional rich media content; fourth instructions for forwarding the received e-mail message to predetermined location outside the firewall; at the predetermined location, fifth instructions for adding the desired additional rich media content to the forwarded e-mail message responsive to said validation to produce an enhanced e-mail message; and sixth instructions for redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 65, The combination Mintz- Bereiter discloses The computer program arrangement of claim 64, wherein said messaging system further includes a second server located at the predetermined location, and wherein said first, second, third, fourth, fifth and sixth instructions are distributed at least among the first user group and the first and second servers(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 66, The combination Mintz- Bereiter discloses computer program arrangement in a computer readable medium for use in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the

Art Unit: 2143

Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, said computer program arrangement comprising: first instructions for receiving the e-mail message within the firewall after said e-mail message has been originated by an originating user of the first user group, said e-mail message including a request for desired additional rich media content; second instructions for identifying the request for desired additional rich media content in the received e-mail message; third instructions for providing a validation of the request for desired additional rich media content; fourth instructions for forwarding the received e-mail message to a predetermined location inside the firewall; at the predetermined location, fifth instructions for adding the desired additional rich media content to the forwarded e-mail message responsive to said validation to produce an enhanced e-mail message; and sixth instructions for redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 67, The combination Mintz- Bereiter discloses The computer program arrangement of claim 66 wherein said first, second, third, fourth, fifth and sixth instructions are distributed at least among the first user group and the first server(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 68, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, a configuration comprising: means for allowing an originating user of the e-mail message to add a request for desired additional rich media content to the e-mail message, for providing a validation of the request for desired additional rich media content according to a set of desired criteria, and for directing the e-mail message to a specified location; and means for performing additional processing located at the specified location configured for adding the desired additional rich media content to the e-mail message, responsive to said validation, to produce an enhanced e-mail message, and for redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 69, The combination Mintz- Bereiter discloses The e-mail messaging system of claim 68 further including a firewall surrounding said first user group and said first server and wherein said predetermined location is situated outside of the firewall(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 70, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message, said e-mail message being originated by an originating user and including a body, which contains a portion of the e-mail message viewable by the originating user, and for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: means for allowing the originating user to add a reference tag to the e-mail message before the e-mail message has been originated by the originating user, which reference tag is positioned outside of the body of the e-mail message, and for directing the e-mail message, including the reference tag, to a specified location outside of the firewall; and at the specified location, means for adding additional rich media content to the e-mail message, responsive to the reference tag, to produce an enhanced e-mail message, and for redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 71, The combination Mintz- Bereiter discloses the e-mail messaging system of claim 70 wherein said preprocessing means further includes means for validating the reference tag according to a set of desired criteria after the e-

mail message, including the reference tag, has been originated by the originating user(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Regarding claim 72, The combination Mintz- Bereiter discloses In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server, a configuration comprising: a local e-mail server system located within the firewall and including an e-mail client plug-in for allowing an originating user of the first user group, which originating user originates said e-mail message, to add a request for desired additional rich media content to the e-mail message, a local enhancement server for providing a validation of the request for desired additional rich media content according to a set of predetermined criteria after the e-mail message, including the request for desired additional rich media content, has been originated by the originating user of the first user group, and also for directing the e-mail message, including the request for desired additional rich media content, to a predetermined location outside of the firewall; and an external enhancement server at the predetermined location for adding the desired additional rich media content to the e-mail message responsive to the validation to produce an enhanced e-mail message,

Art Unit: 2143

and for redirecting the enhanced e-mail message to the intended recipient(see Mintz; column 4, lines 44-58; column 5, lines 25-67; column 6, lines 42-64; also, see Bereiter; column 4, lines 1-50);

Conclusion

8. **THIS ACTION IS MADE NON-FINAL.** Any inquiry concerning this communication or earlier communications from examiner should be directed to Jude Jean-Gilles whose telephone number is (571) 272-3914. The examiner can normally be reached on Monday-Thursday and every other Friday from 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wiley, can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-9000.

Jude Jean-Gilles


Patent Examiner

Art Unit 2143

JJG



November 23, 2005



WILLIAM C. VAUGHN, JR.
PRIMARY EXAMINER